





MONGTEC®
CNC 職人のこだわり
MONGTEC-TOOLS.COM



Mongtec Swiss Type Toolholders

Axial toolholders


PRECISION
TSUGAMI



Max tool shank	Shank diameter	Ratio	Maximum speed	Collet	Model	TSUGAMI Code
10.0	46	1 : 1	6000rpm	ER16	3268-T051	3268-T051


Axial toolholders

PRECISION
TSUGAMI




Max tool shank	Shank diameter	Ratio	Maximum speed	Collet	Model	TSUGAMI Code
10.0	35	1 : 1	8000rpm	ER16	3281-S080	3281-S080

Axial toolholders




Max tool shank	Shank diameter	Ratio	Maximum speed	Collet	Model	TSUGAMI Code
10.0	35	1 : 1	8000rpm	ER16	3281-Z79098	3281-Z79098

Axial toolholders




Max tool shank	Shank diameter	Ratio	Maximum speed	Collet	Model	TSUGAMI Code
10.0	38	1 : 1	6000rpm	ER16	3281-Z74045-0100	3281-Z74045-0100

Axial toolholders




Max tool shank	Shank diameter	Ratio	Maximum speed	Collet	Model	TSUGAMI Code
10.0	42	1 : 1	6000rpm	ER16	3282-Y041	3282-Y041

Axial toolholders




Max tool shank	Shank diameter	Ratio	Maximum speed	Collet	Model	TSUGAMI Code
10.0	35	1 : 1	6000rpm	ER16	3220-Y7072	3220-Y7072

Radial 4 spindles toolholders




Max tool shank	Shank diameter	Ratio	Maximum speed	Collet	Model	TSUGAMI Code
10.0	46	1 : 1	6000rpm	ER16	3282-Y901	3282-Y901

Radial offset toolholders




Max tool shank	Shank diameter	Ratio	Maximum speed	Collet	Model	TSUGAMI Code
10.0	42	1 : 1	6000rpm	ER16	3290-Y041	3290-Y041

Radial offset toolholders




Max tool shank	Shank diameter	Ratio	Maximum speed	Collet	Model	TSUGAMI Code
10.0	35	1 : 1	8000rpm	ER16	3281-Y461-9010	3281-Y461-9010

Sleeves(internal coolant)




Max tool shank	Shank diameter	Ratio	Maximum speed	Collet	Model	TSUGAMI Code
25.0	42	-	-	-	3282-Y212	3282-Y212

Static drilling toolholders




Max tool shank	Shank diameter	Ratio	Maximum speed	Collet	Model	TSUGAMI Code
10.0	35	-	-	ER16	3282-Z71051-9010	3282-Z71051-9010

Sleeves




Max tool shank	Shank diameter	Ratio	Maximum speed	Collet	Model	TSUGAMI Code
20.0	35	-	-	-	3281-Z79055-0302	3281-Z79055-0302

Axial toolholders




Max tool shank	Shank diameter	Ratio	Maximum speed	Collet	Model	STAR Code
10.0	34	1 : 1	8000rpm	ER16	33150	33150

Axial toolholders




Max tool shank	Shank diameter	Ratio	Maximum speed	Collet	Model	STAR Code
10.0	22	1 : 1	6000rpm	ER16	57161	57161

Radial 3 spindles toolholders




Max tool shank	Shank diameter	Ratio	Maximum speed	Collet	Model	STAR Code
10.0	34	1 : 1	6000rpm	ER16	66151	66151

Radial 6 spindles toolholders




Max tool shank	Shank diameter	Ratio	Maximum speed	Collet	Model	STAR Code
10.0/7.0	34	1 : 1	6000rpm	ER16/ER11	67161	67161/OM155

Static drilling toolholders




Max tool shank	Shank diameter	Ratio	Maximum speed	Collet	Model	STAR Code
10.0	22	-	-	ER16	54121-01	54121-01

Static drilling toolholders




Max tool shank	Shank diameter	Ratio	Maximum speed	Collet	Model	STAR Code
10.0	22	-	-	ER16	0R122	0R122

Static drilling toolholders(Internal coolant)




Max tool shank	Shank diameter	Ratio	Maximum speed	Collet	Model	STAR Code
10.0	22	-	-	ER16	OR123	OR123

Static drilling toolholders(Internal coolant)




Max tool shank	Shank diameter	Ratio	Maximum speed	Collet	Model	STAR Code
10.0	22	-	-	ER16	67127	67127

Static drilling toolholders(Internal coolant)



Max tool shank	Shank diameter	Ratio	Maximum speed	Collet	Model	STAR Code
6/8/10 /12/16	22	-	-	-	B2E22	B2E22


Static 3 toolholders



Max tool shank	Shank diameter	Ratio	Maximum speed	Collet	Model	STAR Code
22	34	-	-	-	STAR34322	STAR34322

Sleeves


CITIZEN



Max tool shank	Shank diameter	Ratio	Maximum speed	Collet	Model	CITIZEN Code
25.4	31	-	-	-	SAU825	SAU825

Static drilling toolholders(Internal coolant)


CITIZEN



Max tool shank	Shank diameter	Ratio	Maximum speed	Collet	Model	CITIZEN Code
19.05	25/25.4	-	-	-	GDE1025/ GDE10254	-

Axial toolholders


CITIZEN



Max tool shank	Shank diameter	Ratio	Maximum speed	Collet	Model	CITIZEN Code
7.0	25	1 : 1	10000rpm	ER11	MSC507	MSC507

Static 4 holes drilling toolholders


CITIZEN



Max tool shank	Shank diameter	Ratio	Maximum speed	Collet	Model	CITIZEN Code
25.4	-	-	-	-	GDF1801	GDF1801






CITIZEN

Static 3 holes drilling toolholders



Max tool shank	Shank diameter	Ratio	Maximum speed	Collet	Model	CITIZEN Code
19.05	31	-	-	-	GDF1207	GDF1207





Facebook



WeChat



YouTube



Mongtec Web



LINE



WhatsApp

 **Mongtec Precision Inc.**

TEL : +886-4-22653360

FAX : +886-4-22653386

E-mail : info@mongtec.com

No. 87, Sec. 1, Daqing St., South Dist., Taichung City 402024, Taiwan (R.O.C.)