




**mongtec**  
CNC職人のこだわり  
MONGTEC-TOOLS.COM

# Mongtec STATIC TURRET TOOLHOLDERS




## OD static toolholders




| Model       | C   | K     | G  | H  | X  | A  | B  | E  | K    | Compatible Brands                                                                       |
|-------------|-----|-------|----|----|----|----|----|----|------|-----------------------------------------------------------------------------------------|
| BMT40 C5520 | 75  | 97    | 55 | 25 | 25 | 12 | 50 | 60 | 2.20 | DOOSAN · Hardinge                                                                       |
| BMT45 C6020 | 75  | 110   | 60 | 20 | 20 | 15 | 58 | 58 | 2.49 | DOOSAN · Hardinge<br>Spinner · Victor · Jyoti<br>Samsung(SMEC)                          |
| BMT45 C7020 | 85  | 110   | 70 | 20 | 20 | 15 | 58 | 58 | 3.43 |                                                                                         |
| BMT45 C8025 | 85  | 110   | 80 | 25 | 25 | 15 | 58 | 58 | 3.92 |                                                                                         |
| BMT55 C6020 | 90  | 115   | 60 | 20 | 20 | 15 | 64 | 64 | 3.29 | DOOSAN · Hardinge<br>HyundaiWIA · Jyoti<br>Goodway · Hwacheon<br>Samsung(SMEC) · Victor |
| BMT55 C8020 | 86  | 120   | 80 | 20 | 20 | 15 | 64 | 64 | 4.34 |                                                                                         |
| BMT55 C8025 | 95  | 120   | 80 | 25 | 25 | 15 | 64 | 64 | 4.30 |                                                                                         |
| BMT55 C8032 | 86  | 120   | 80 | 32 | 32 | 15 | 64 | 64 | 4.34 |                                                                                         |
| BMT65 C7520 | 96  | 131   | 75 | 20 | 20 | 18 | 73 | 70 | 4.97 | DOOSAN · Hardinge<br>Victor · Goodway · Haas<br>HyundaiWIA · Hwacheon<br>Samsung(SMEC)  |
| BMT65 C7525 | 95  | 131   | 75 | 25 | 25 | 18 | 73 | 70 | 4.97 |                                                                                         |
| BMT65 C8025 | 95  | 131   | 80 | 25 | 25 | 18 | 73 | 70 | 5.25 |                                                                                         |
| BMT75 C8525 | 112 | 140   | 85 | 25 | 25 | 25 | 90 | 90 | 7.00 | DOOSAN · Hwacheon<br>HyundaiWIA · Victor<br>Samsung(SMEC)                               |
| BMT75 C8032 | 112 | 152.5 | 80 | 30 | 32 | 25 | 90 | 90 | 7.14 |                                                                                         |

## Double OD static toolholders





| Model       | C  | K   | G  | H  | X  | A  | B  | E  | K    | Compatible Brands |
|-------------|----|-----|----|----|----|----|----|----|------|-------------------|
| BMT55 C8020 | 92 | 120 | 80 | 20 | 21 | 15 | 64 | 64 | 5.60 | DOOSAN · Hardinge |
| BMT65 C7520 | 97 | 131 | 75 | 20 | 21 | 18 | 73 | 70 | 6.10 |                   |

## ID static toolholders



| Model        | C   | K   | G    | H   | D  | A  | B  | E  | K     | Compatible Brands                                                              |
|--------------|-----|-----|------|-----|----|----|----|----|-------|--------------------------------------------------------------------------------|
| BMT40 B6025  | 63  | 94  | 82   | 60  | 25 | 12 | 50 | 60 | 3.20  | DOOSAN · Hardinge                                                              |
| BMT45 B6040  | 75  | 95  | 88   | 60  | 40 | 15 | 58 | 58 | 3.50  | DOOSAN · Hardinge<br>Spinner · Victor<br>Samsung(SMEC)                         |
| BMT45 B6532  | 75  | 95  | 88   | 65  | 32 | 15 | 58 | 58 | 3.35  |                                                                                |
| BMT45 B8032  | 75  | 95  | 110  | 80  | 32 | 15 | 58 | 58 | 4.43  |                                                                                |
| BMT55 B6032  | 86  | 105 | 90   | 60  | 32 | 15 | 64 | 64 | 5.10  | DOOSAN · Hardinge<br>HyundaiWIA · Jyoti<br>Goodway · Hwacheon<br>Samsung(SMEC) |
| BMT55 B6040  | 86  | 105 | 90   | 60  | 40 | 15 | 64 | 64 | 5.10  |                                                                                |
| BMT55 B7032  | 86  | 105 | 100  | 70  | 32 | 15 | 64 | 64 | 5.96  |                                                                                |
| BMT55 B7040  | 86  | 105 | 100  | 70  | 40 | 15 | 64 | 64 | 4.90  |                                                                                |
| BMT55 B8032  | 86  | 105 | 109  | 80  | 32 | 15 | 64 | 64 | 5.80  |                                                                                |
| BMT55 B8540  | 86  | 105 | 115  | 85  | 40 | 15 | 64 | 64 | 5.80  |                                                                                |
| BMT65 B6032  | 86  | 105 | 90   | 60  | 32 | 15 | 64 | 64 | 5.10  | DOOSAN · Hardinge<br>HyundaiWIA · Jyoti<br>Goodway · Hwacheon<br>Samsung(SMEC) |
| BMT65 B6040  | 86  | 105 | 90   | 60  | 40 | 15 | 64 | 64 | 5.10  |                                                                                |
| BMT65 B7032  | 86  | 105 | 100  | 70  | 32 | 15 | 64 | 64 | 5.96  |                                                                                |
| BMT65 B7040  | 86  | 105 | 100  | 70  | 40 | 15 | 64 | 64 | 4.90  |                                                                                |
| BMT65 B8032  | 86  | 105 | 109  | 80  | 32 | 15 | 64 | 64 | 5.80  |                                                                                |
| BMT65 B8540  | 86  | 105 | 115  | 85  | 40 | 15 | 64 | 64 | 5.80  |                                                                                |
| BMT75 B9050  | 112 | 120 | 130  | 90  | 50 | 25 | 90 | 90 | 9.80  | DOOSAN · Hardinge<br>HyundaiWIA · Victor<br>Samsung(SMEC)                      |
| BMT75 B11050 | 112 | 115 | 150  | 110 | 50 | 25 | 90 | 90 | 9.80  |                                                                                |
| BMT75 B11060 | 112 | 135 | 1156 | 110 | 60 | 25 | 90 | 90 | 12.30 |                                                                                |

## Face static toolholders




| Model        | C   | K   | G   | H  | X  | A  | B  | E  | K     | Compatible Brands                                                                            |
|--------------|-----|-----|-----|----|----|----|----|----|-------|----------------------------------------------------------------------------------------------|
| BMT45 F6020  | 75  | 85  | 60  | 20 | 20 | 15 | 58 | 58 | 2.26  | DOOSAN 、Hardinge<br>Spinner 、Victor 、Jyoti<br>Samsung(SMEC)                                  |
| BMT45 F7032  | 90  | 86  | 70  | 32 | 32 | 15 | 58 | 58 | 3.20  |                                                                                              |
| BMT45 F8020  | 75  | 85  | 80  | 20 | 20 | 15 | 58 | 58 | 3.04  |                                                                                              |
| BMT45 F8525  | 90  | 86  | 85  | 25 | 25 | 15 | 58 | 58 | 3.82  |                                                                                              |
| BMT55 F7020  | 90  | 95  | 70  | 20 | 20 | 15 | 64 | 64 | 3.51  | DOOSAN 、Hardinge<br>HyundaiWIA 、Jyoti 、<br>Victor 、Hwacheon 、<br>Samsung(SMEC)               |
| BMT55 F7025  | 86  | 95  | 70  | 25 | 25 | 15 | 64 | 64 | 3.35  |                                                                                              |
| BMT55 F8032  | 86  | 95  | 80  | 32 | 32 | 15 | 64 | 64 | 3.82  |                                                                                              |
| BMT55 F8520  | 92  | 95  | 85  | 20 | 20 | 15 | 64 | 64 | 4.06  |                                                                                              |
| BMT55 F8525  | 92  | 95  | 85  | 25 | 25 | 15 | 64 | 64 | 4.45  | DOOSAN 、Goodway 、<br>Hwacheon 、Hardinge 、<br>Samsung(SMEC) 、<br>Victor 、HyundaiWIA 、<br>Haas |
| BMT65 F7025  | 95  | 106 | 70  | 25 | 25 | 18 | 93 | 70 | 4.13  |                                                                                              |
| BMT65 F9525  | 96  | 105 | 95  | 25 | 25 | 18 | 73 | 70 | 5.62  | DOOSAN 、Victor 、<br>Hwacheon 、<br>HyundaiWIA 、<br>Samsung(SMEC)                              |
| BMT75 F7025  | 112 | 135 | 70  | 25 | 25 | 25 | 90 | 90 | 6.20  |                                                                                              |
| BMT75 F7032  | 112 | 120 | 70  | 32 | 32 | 25 | 90 | 90 | 5.46  |                                                                                              |
| BMT75 F12225 | 112 | 135 | 122 | 25 | 25 | 25 | 90 | 90 | 10.76 |                                                                                              |
| BMT75 F13532 | 112 | 120 | 135 | 32 | 32 | 25 | 90 | 90 | 10.61 |                                                                                              |

Applicable to Lathes

## MAZAK

QUICK TURN PRIMOS 15 OL  
 QUICK TURN 150L 、 200L 、 250L 、 300L 、 350L


### Round Tool Block with Middle Coolant



### Round Tool Block with Back Coolant



### Rectangle Tool Block




Applicable to Lathes

# MAZAK

QSM 200L


Round Tool Block



Bore Dia  $\Phi$  40/32




Overall Dimension  
104\*80\*93



QUICK TURN PRIMOS 50L 、 100L


Round Tool Block with Middle Coolant



Bore Dia  $\Phi$  32



Overall Dimension  
95\*80\*63




Applicable to Lathes

## TAKISAWA

TCN-2100L3


### Round Tool Block




Bore Dia  $\Phi 32$




Overall Dimension  
112\*80\*70




### Rectangle Tool Block



Slot 25X25



Overall Dimension  
113\*60\*80




Applicable to Lathes

## TAKISAWA

NEX106


### Round Tool Block




Bore Dia  $\Phi 32$



Overall Dimension  
90\*70\*58




### Rectangle Tool Block



Slot 20X20



Overall Dimension  
90\*70\*50




Applicable to Lathes

## TAKISAWA


NEX-108、TCN-2100C

### Round Tool Block




Bore Dia  $\Phi 40/32$

Overall Dimension  
113\*80\*77




### Round Tool Block with Back Coolant




### Rectangle Tool Block

Overall Dimension  
113\*80\*60



Slot 25X25





Applicable to Lathes

## TAKISAWA

LA200

### Round Tool Block with Middle Coolant



Overall Dimension  
92\*85\*71



Bore Dia  $\Phi 40$

### Round Tool Block with Back Coolant



Overall Dimension  
92\*85\*71



Bore Dia  $\Phi 40$

### Rectangle Tool Block

Overall Dimension  
92\*80\*60



Slot 22X25



Applicable to Lathes

## TAKISAWA

LA250、NEX110

### Round Tool Block with Back Coolant



Overall Dimension  
140\*100\*95



Bore Dia  $\Phi 50$

### Rectangle Tool Block

Overall Dimension  
140\*100\*70



Slot 25X25


Applicable to Lathes

## TAKISAWA


CX-15

### Round Tool Block with Middle Coolant

Overall Dimension  
78\*70\*52




Bore Dia  $\Phi 25$




### Round Tool Block

Overall Dimension  
78\*70\*52




Bore Dia  $\Phi 25$




### Rectangle Tool Block

Overall Dimension  
78\*70\*50



Slot 20X20




Applicable to Lathes

## TAKISAWA


NEX-108M、108Y

### Round Tool Block




Bore Dia  $\Phi 40$

Overall Dimension  
91\*130\*110




### Rectangle Tool Block




Slot 25X25

Overall Dimension  
110\*105\*110




### Outer Diameter Boring Holder



Slot 20X20

Overall Dimension  
100\*80\*125




Applicable to Lathes

## DOOSAN


PUMA300

### Round Tool Block with Back Coolant




Bore Dia  $\Phi 50$

Overall Dimension  
102\*95\*84




LYNX210

### Round Tool Block with Back Coolant




Bore Dia  $\Phi 40$

Overall Dimension  
93\*85\*72




### Rectangle Tool Block



Slot 25X25


Overall Dimension  
93\*86\*55



Applicable to Lathes


## HARDINGE

### Round Tool Block with Back Coolant




Bore Dia  $\Phi 40$

Overall Dimension  
106\*82\*90




### Rectangle Tool Block



Slot 25X25


Overall Dimension  
106\*50\*90



Applicable to Lathes


## HARDINGE

### Round Tool Block with Back Coolant




Bore Dia  $\Phi 32$

Overall Dimension  
83\*68\*75




### Rectangle Tool Block



Slot 20X20

Overall Dimension  
83\*45\*80





Applicable to Lathes

## TSUGAMI


M08J

### Round Tool Block with Middle Coolant




Bore Dia  $\Phi 20/32$

Overall Dimension  
78\*106\*89.5




### Round Tool Block with Back Coolant




Bore Dia  $\Phi 40/32$

Overall Dimension  
95\*106\*64.5




### Rectangle Tool Block



Slot 25X25



Overall Dimension  
98\*106\*59.5



Applicable to Lathes


## HYUNDAI WIA

### Round Tool Block with Back Coolant





Bore Dia  $\Phi 32$

Overall Dimension  
78\*90\*98




### Rectangle Tool Block





Slot 20X20

Overall Dimension  
75\*82\*65




### Outer Diameter Boring Holder



Slot 20X20


Overall Dimension  
75\*96\*70



Applicable to Lathes




## HONGDA

### Round Tool Block




Bore Dia  $\Phi 40$

Overall Dimension  
90\*80\*72




Bore Dia  $\Phi 32$

Overall Dimension  
95\*80\*54.5




### Rectangle Tool Block



Slot 25X25


Overall Dimension  
90\*80\*52.5



Applicable to Lathes


## GSA+

### Round Tool Block




Bore Dia  $\Phi 32$

Overall Dimension  
100\*70\*80




### Round Tool Block




Bore Dia  $\Phi 40$

Overall Dimension  
98\*80\*90




### Rectangle Tool Block



Slot 25X25



Overall Dimension  
98\*60\*90



Applicable to Lathes


## PRAGATI

### Round Tool Block





Bore Dia  $\Phi 32$

Overall Dimension  
82\*62\*80




### Rectangle Tool Block



Slot 25X25


Overall Dimension  
92\*55\*80



Applicable to Lathes


## PRAGATI

### Round Tool Block




Bore Dia  $\Phi 40$

Overall Dimension  
92\*64\*80




### Rectangle Tool Block



Slot 25X25


Overall Dimension  
92\*55\*80



Applicable to Lathes


## SAUTER

### Round Tool Block with Back Coolant




Bore Dia  $\Phi 40$

Overall Dimension  
100\*85\*84




### Rectangle Tool Block



Slot 25X25

Overall Dimension  
100\*85\*65






Applicable to Lathes

## LIO SHING

LS-160(8T)

Round Tool Block

Overall Dimension  
84\*80\*67






Bore Dia  $\Phi 32/25$

LS-240(12T) 、 200(12T) 、 160

Round Tool Block

Overall Dimension  
84\*80\*67





Bore Dia  $\Phi 32/25$

Applicable to Lathes


## SUCCESSFUL CASES

### Round Tool Block




Bore Dia  $\Phi 50$

Overall Dimension  
118\*118\*90




### Rectangle Tool Block



Slot 32X32


Overall Dimension  
118\*118\*62



Applicable to Lathes


## SUCCESSFUL CASES

### Round Tool Block with Back Coolant




Bore Dia  $\Phi 40/32$

Overall Dimension  
100\*90\*80




### Round Tool Block



Slot 25X25

Overall Dimension  
100\*95\*56





Facebook



WeChat



YouTube



Mongtec Web



LINE



WhatsApp



Mongtec Precision Inc.

TEL : +886-4-22653360

FAX : +886-4-22653386

E-mail : [info@mongtec.com](mailto:info@mongtec.com)

No. 87, Sec. 1, Daqing St., South Dist., Taichung City 402024, Taiwan (R.O.C.)